

WIN L 4135 UO

Print date: 18. 10. 2023 Product code: 4135UO Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

WIN L 4135 UO

Further trade names

CERTDOS 4130

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/the mixture

Combination product for boiler water treatment.

Boiler descaling agent, oxygen binding agent and steam alkalizing agent.

1.3. Details of the supplier who provides the safety data sheet

Company name: CERTUSS Dampfautomaten GmbH & Co. KG

Street: Hafenstr. 65 D-47809 Krefeld City: Phone: +49 (0) 2151 578-0 Contact partner: Mr. Hamacher

t.hamacher@certuss.com Informing department: Technical Director

Monday to Thursday from 9 - 16 (9 a.m. to 4 p.m.), Friday 9 - 14 (9 a.m. to 2 p.m.)

Emergency number DE: GIZ-Nord +49 (0)551 -19240

AUT: +43 1 406 43 43

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

sodium metabisulphite

Sodium hydroxide; caustic soda

Signal word: Pictograms:

Danger



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P280

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.



WIN L 4135 UO

Print date: 18. 10. 2023 Product code: 4135UO Page 2 of 7

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P405 Store locked up.

P501 Dispose of contents/container to regulated waste disposal.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS-No.	Chemical Name					
	EC No.	Index No.	REACH No.			
	Classification (GB CLP Regulation)					
7681-57-4	Sodium metabisulphite			5 – 10 %		
	231-673-0	016-063-00-2				
	Acute Tox. 4, Eye Dam. 1; H302 H318 EUH031					
1310-73-2	Sodium hydroxide; caustic soda			1 – 5 %		
	215-185-5	011-002-00-6				
	Skin Corr. 1A; H314					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS-No.	EC No.	Chemical Name Quantity					
	Specific Conc. Limits, M-factors and ATE						
7681-57-4	231-673-0	Sodium metabisulphite 5 – 10 %					
	oral: LD50 = 1130 mg/kg						
1310-73-2	215-185-5	-185-5 Sodium hydroxide; caustic soda 1 – 5 %					
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2						

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.



EC Safety Data Sheet

according to regulation (EC) no. 1907/2006

WIN L 4135 UO

Print date: 18. 10. 2023 Product code: 4135UO Page 3 of 7

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Combination product for boiler water treatment.

Boiler descaling agent, oxygen binding agent and steam alkalizing agent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7681-57-4	Disodium disulphite	_	5		TWA (8 h)	WEL
1310-73-2	Sodium hydroxide	_	2		STEL (15 min)	WEL

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.



WIN L 4135 UO

Print date: 18. 10. 2023 Product code: 4135UO Page 4 of 7

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

Physical state: liquid Colour: yellow Odour: specific

-5 °C Melting point/freezing point: 100 °C Boiling point or initial boiling point and boiling range: Flammability: not applicable

not applicable Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not determined Decomposition temperature: not determined

pH-Value (at 20 °C): 12,6

Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined Density: 1,13 g/cm³ Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent content: < 1 % Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent.

10.4. Conditions to avoid

none



WIN L 4135 UO

Print date: 18. 10. 2023 Product code: 4135UO Page 5 of 7

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

ATEmix calculated

ATE (oral) 12840,9 mg/kg

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7681-57-4	sodium metabisulphite					
	oral	LD50	1130 mg/kg	Rat	GESTIS	

SECTION 12: Ecological information

12.1. Toxicity

The product is not:Ecotoxic.

CAS No.	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7681-57-4	sodium metabisulphite						
	Acute fish toxicity	LC50	150 - 220 mg/l	96 h	Onchorhynchus mykiss		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations. No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.



WIN I 4135 UO

Print date: 18. 10. 2023 Product code: 4135UO Page 6 of 7

14.4. Packing group: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations. No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name: No dangerous good in sense of these transport regulations. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name: No dangerous good in sense of these transport regulations. No dangerous good in sense of these transport regulations. 14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations. 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

No dangerous good in sense of these transport regulations. 14.1. UN number or ID number: No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name: No dangerous good in sense of these transport regulations. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No.

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): <1%

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the , juvenile work protection guideline' (94/33/EC). Observe

employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation



WIN L 4135 UO

Print date: 18. 10. 2023 Product code: 4135UO Page 7 of 7

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

EUH031 Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

CERTUSS Dampfautomaten GmbH & Co. KG

Hafenstr. 65 D-47809 Krefeld

Responsible: Mr. Thomas Hamacher Tel.: +49 (0)2151 578-0 +49 (0)2151 578-102 Fax: E-Mail: t.hamacher@certuss.com