

according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CERTDOS 4135

UFI: Y1FC-10UX-7000-37J0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Kombinationsprodukt zur Kesselwasserbehandlung

Kesselsteingegenmittel, Sauerstoffbinder und Dampfalkalisierer

1.3. Details of the supplier of the safety data sheet

Company name: CERTUSS GmbH
Street: Hafenstraße 65
Place: D-47809 Krefeld
Telephone: +49 (0) 2151 578-0
Contact person: Herr Hamacher

E-mail: t.hamacher@certuss.com
Responsible Department: Technische Leitung

1.4. Emergency telephone DE: GIZ-Nord (+49) 0551 - 19240

number: AUT: (+43) 1 406 43 43

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

sodium metabisulphite morpholine sodium hydroxide

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash Hände thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 2 of 11

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH031 Contact with acids liberates toxic gas.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulatio	n)	•	
7681-57-4	sodium metabisulphite			10-20 %
	231-673-0	016-063-00-2		
	Acute Tox. 4, Eye Dam. 1; H302 H318 EUH031			
110-91-8	morpholine			
	203-815-1	613-028-00-9		
	Flam. Liq. 3, Acute Tox. 4, Acute H314	226 H332 H312 H302		
1310-73-2	sodium hydroxide	< 1 %		
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

Opecine ou	iic. Eiiiiits, ivi-ia	CIOIS UNA ATE			
CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
7681-57-4	231-673-0	sodium metabisulphite	10-20 %		
	oral: LD50 = 1	130 mg/kg			
110-91-8	203-815-1	morpholine	<10 %		
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg			
1310-73-2	215-185-5	sodium hydroxide	< 1 %		
	· · · · · · · · · · · · · · · · · · ·	H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < H319: >= 0,5 - < 2			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information


Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Move victim out of danger zone.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.





according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 3 of 11

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Sulphur dioxide (SO2).. Sulphur trioxide

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.Do not breathe gas/fumes/vapour/spray.



according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 4 of 11

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

Do not store together with: Acid.

7.3. Specific end use(s)

Kombinationsprodukt zur Kesselwasserbehandlung Kesselsteingegenmittel, Sauerstoffbinder und Dampfalkalisierer

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7681-57-4	Disodium disulphite	-	5		TWA (8 h)	WEL
110-91-8	Morpholine	10	36		TWA (8 h)	WEL
		20	72		STEL (15 min)	WEL
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
1310-73-2	sodium hydroxide				
Worker DNEL, long-term		inhalation	local	1 mg/m³	
Consumer DNEL, long-term		inhalation	local	1 mg/m³	

PNEC values

CAS No	Substance		
Environmental	compartment	Value	
1310-73-2 sodium hydroxide			
Freshwater			

8.2. Exposure controls







according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 5 of 11

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eve/face protection

Suitable eye protection: Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: spezifisch

Test method

Melting point/freezing point:

-10 °C

Boiling point or initial boiling point and

102 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: Residues of fire and contaminated water have to be disposed according to

the local regulations.

Auto-ignition temperature: not determined

Decomposition temperature: not determined

pH-Value (at 20 °C): 6,5

Viscosity / kinematic: not determined ISO 3219

Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

not determined

not determined

not determined

not determined

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.



according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 6 of 11

Other safety characteristics

Evaporation rate: not determined Solvent content: 0,0 % Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions. Reaction with: Acid.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

Contact with acids liberates toxic gas.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7681-57-4	sodium metabisulphite	sodium metabisulphite				
	oral	LD50 mg/kg	1130	Rat	GESTIS	
110-91-8	morpholine					
	oral	ATE mg/kg	500			
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

11.2. Information on other hazards

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 7 of 11

CAS No	Chemical name				
	Aquatic toxicity Dose [h] [d] Species Source Method				Method
7681-57-4	sodium metabisulphite				
	Acute fish toxicity	LC50 150 - 220 mg/l	96 h Oncorhynchus mykiss		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070799 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals

and chemical products not otherwise specified; wastes not otherwise specified

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2735

14.2. UN proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (morpholine)

14.3. Transport hazard class(es): 8
14.4. Packing group:

Hazard label: 8



Classification code: C7
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 80



according to UK REACH Regulation

 CERTDOS 4135

 Revision date: 06.10.2025
 Product code: 4135
 Page 8 of 11

Tunnel restriction code:

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2735

14.2. UN proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (morpholine)

Ε

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Classification code: C7
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2735

14.2. UN proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (morpholine)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-A, S-B
Segregation group: 18 - alkalis

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2735

14.2. UN proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (morpholine)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

0.5 L

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments





according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 9 of 11

not applicable

Other applicable information

Hazchem code: 2X

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

CERTUSS GmbH Hafenstraße 65 D-47809 Krefeld

Telefon: +49 (0) 2151 578-0 Ansprechpartner: Herr Hamacher E-Mail: t.hamacher@certuss.com

Auskunftgebender Bereich: Technische Leitung



according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 10 of 11

Abbreviations and acronyms

Met. Corr: Corrosive to metals Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

EC/EEC: European Community/European Economic Community

EU: European Union

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

M-factor: Multiplying factor

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

<u> </u>				
Classification	Classification procedure			
Skin Corr. 1B; H314	Calculation method			
Eye Dam. 1; H318	Calculation method			



according to UK REACH Regulation

CERTDOS 4135

Revision date: 06.10.2025 Product code: 4135 Page 11 of 11

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

EUH031 Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)