

WIN L NaOH

(Sodium hydroxide 5-33%)

Print date: 02. 01. 2025

Product code: 010915

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sodium hydroxide 5-33%

Further trade names

CERTDOS NaOH 5%	
WIN L NaOH	
Substance name:	sodium hydroxide; caustic soda
REACH Registration Number:	01-2119457892-27-0000
CAS No:	1310-73-2
Index No:	011-002-00-6
EC No:	215-185-5
UFI:	537Y-N0KE-U009-YSEE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/the mixture

Chemical intermediate

1.3. Details of the supplier who provides the safety data sheet

Company name:	CERTUSS GmbH
Street:	Hafenstr. 65
City:	D-47809 Krefeld
Phone:	+49 (0) 2151 578-0
Contact partner:	Mr. Hamacher
E-mail:	t.hamacher@certuss.com
Informing department:	Technical Director
Monday to Thursday from S	9 – 16 (9 a.m. to 4 p.m.), Friday 9 – 14 (9 a.m. to 2 p.m.)
Emergency number	DE: GIZ-Nord +49 (0)551 -19240
	AUT: +43 1 406 43 43

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Skin Corr. 1A; H314

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

· · · · · · · · · · · · · · · · · · ·		
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P264	Wash hands thoroughly after handling.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
	EN – GB revised on: 02 01 2025	



WIN L NaOH

(Sodium hydroxide 5-33%) Product code: 010915

Page 2 of 9

Print date: 02. 01. 2025

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

SODIUM HYDROXIDE

Relevant ingredients

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
1310-73-2	Sodium hydroxide; caustic soda	Sodium hydroxide; caustic soda			
	215-185-5	011-002-00-6	01-2119457892-27-0000		
Met. Corr. 1, Skin Corr. 1A; H290 H314					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Anteil
	Specific Conc. Limits, M-factors and ATE		
1310-73-2	215-185-5	Sodium hydroxide; caustic soda	33 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down. First aider: Pay attention to self-protection! Move victim out of danger zone.

After inhalation

Provide fresh air. Medical treatment necessary. Remove casualty to fresh air and keep warm and at rest. If unconscious but breathing normally, place in recovery position and seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If symptoms persist, consult a doctor.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Aqueous solution causes, depending on the concentration, irritation or burns of eyes, skin and mucous membranes.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn. Carbon dioxide (CO2). Atomized water. Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: toxic and corrosive gases

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.



WIN L NaOH (Sodium hydroxide 5-33%)

Product code: 010915

Page 3 of 9

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Print date: 02. 01. 2025

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Make sure spills can be contained (e.g. sump pallets or kerbed areas). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. It is recommended to design all work processes always so that the following is excluded: inhalation. skin contact. Eye contact.

Advice on protection against fire and explosion

Usual measures for fire prevention. The product is not: Combustible substance. Possibly extensive generation of hydrogen on contact with amphoteric metals (e.g. aluminium, lead, zinc) (explosive hazard!).

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Further information on handling

The usual precautions for handling chemicals are observed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Suitable material for Container: polyolefine.

Hints on joint storage

Materials to avoid: Acid.

Further information on storage conditions

Keep away from heat.

7.3. Specific end use(s)

chemical intermediate

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

								Ö
CAS No).	Substance	ppm	mg/m³	fibres/ml	Category	Origin	1793.
1310-73	3-2	Sodium hydroxide	-	2		STEL (15 min)	WEL	4.02

8



WIN L NaOH

(Sodium hydroxide 5-33%)

Product code: 010915

Page 4 of 9

Print date: 02. 01. 2025

DNEL-/DMEL values

CAS No	Substance			
DNEL Typ				
1310-73-2	Sodium hydroxide; caustic soda			
Worker DNEL, lon	ig-term	inhalation	local	1 mg/m ³
Consumer DNEL,	long-term	inhalation	local	1 mg/m ³

PNEC values

CAS No	Substance	
Environmental compartment		
1310-73-2	Sodium hydroxide; caustic soda	
Freshwater		1 mg/m ³

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves are to be worn: Single-use gloves. Half-gloves. Suitable material: NBR (Nitrile rubber). Butyl rubber. CR (polychloroprenes, Chloroprene rubber). NR (Natural rubber (Caoutchouc), Natural latex). Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing. For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Suitable protective clothing: Lab apron.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	colourless		
Odour:	odourless		
Melting point/freezing point:			ca. 8 °C
Boiling point or Initial boiling	point and boiling range:		120 °C
Flammability:			not determined
Lower explosion limits:			not determined
Upper explosion limits:			not determined
Flash point:			inapplicable
Auto-ignition temperature:			not determined
Decomposition temperature:			not determined
pH-Value (at 20 °C):			14
Viscosity / kinematic:			not determined
Water solubility:			completely miscible
Solubility in other solvents			not determined
Partition coefficient n-octanol	water:		not determined
		EN = GR revised on: 02	01 2025



00.044.02.1793.09 GB

Safety Data Sheet according to UK REACH Regulation

WIN L NaOH (Sodium hydroxide 5-33%)

Product code: 010915

Print date: 02. 01. 2025

Vapour pressure: Density (at 20 °C): Relative vapour density: Particle characteristics:

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. Non-flammable.

- Oxidizing properties
- Not oxidising.

Other safety characteristics

Solvent separation test: 0.0 % Viscosity / dynamic: (at 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions. Possibly extensive generation of hydrogen on contact with amphoteric metals (e.g. aluminium, lead, zinc) (explosive hazard!).

10.2. Chemical stability

No decomposition if stored and applied. To avoid thermal decomposition do not overheat.

10.3. Possibility of hazardous reactions

Acid, Peroxides, Oxidizing agent. Exothermic reaction with: acids.

10.4. Conditions to avoid

Strong heating

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides. acids, Light metals, Peroxides.

10.6. Hazardous decomposition products

No decomposition if used as directed.

Further information

No decomposition if stored and applied. To avoid thermal decomposition do not overheat.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

When handled and used properly are to our knowledge no harmful effects to expect of the product.

Irritation and corrosivity

after ingestion: After skin contact: Irritant and corrosive effects. Following eye contact: Irritant and corrosive effects. Possible risks of irreversible effects.

Sensitising effects

Not sensitizing to the skin.

11.2. Information on other hazards

Other information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

SECTION 12: Ecological information

12.1. Toxicity

LC50: Crustaceans 76 mg/l 24 h

Has a very low toxicity to aquatic life.

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No bioaccumulation

12.4. Mobility in soil

Page 5 of 9

ca. 19 mPa·s

not determined

not determined

not applicable

1,05 g/cm.



Page 6 of 9

Safety Data Sheet

WIN L NaOH

(Sodium hydroxide 5-33%) Product code: 010915

Print date: 02. 01. 2025

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH. The product has not been tested.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Adverse effects on aquatic organisms due to pH shift.

Further information

Avoid release to the environment. Classification according to Regulation (EC) No 1272/2008 [CLP]

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

061399 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from inorganic chemical processes not otherwise specified; wastes not otherwise specified

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	att and a
Classification code:	C5
Limited quantity:	1 L
Excepted quantity	E2
Transport category	2
Hazard No:	80
Tunnel restriction code:	E
and waterways transport (ADN)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	Ш
Hazard label:	8
	at a start and a start
Classification code:	C5
Limited quantity:	1 L
Excepted quantity	E2
rine transport (IMDG)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
	EN – GB revised on: 02. 01. 2025

00.044.02.1793.09 GB



S	Safety Data Sheet
	according to UK REACH Regulation
	(Sodium hydroxide 5-33%)
Print date: 02. 01. 2025	Product code: 010915 Page 7 of 9
14.4. Packing group:	II
Hazard label:	8
Special provisions:	
Limited quantity:	1 L
Excepted quantity	E2
EmS:	F-A, S-B
Segregation group:	18 - alkalis
r transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group: Hazard label:	
Hazard label:	8
	N. Star
Special provisions:	A3 A803 0.5 L
Limited quantity Passenger: Passenger LQ	V.5 L Y840
Excepted quantity	E2
IATA-packing instructions - Passenger:	851
IATA-max. quantity - Passenger:	1L
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30L
14.5. Environmental hazards	562
ENVIRONMENTALLY HAZARDOUS: No	
14.6. Special precautions for user	
Warning: strongly corrosive.	
14.7. Maritime transport in bulk according to IMO in	struments
not applicable	
Other applicable information	
Hazchem code:	2R
CCTION 15. Desculate as information	
ECTION 15: Regulatory information	- i latin ifi farsh i latin i i i i
15.1. Safety, health and environmental regulations/le	egislation specific for the substance or mixture
EU regulatory information Restrictions on use (REACH, annex XVII):	
Entry 3, Entry 75	Not subject to 2012/19/EU (CEV/ECO III)
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the ,juvenile work protection gu (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
15.2. Chemical safety assessment	



WIN L NaOH

(Sodium hydroxide 5-33%) Product code: 010915

Page 8 of 9

Print date: 02. 01. 2025

SECTION 16: Other information

Abbreviations	and	acronyms
---------------	-----	----------

~	conacions		
	Met. Corr:	Corrosive to metals	
	Skin Corr:	Skin corrosion	
	Eye Dam:	Eye damage	
	CLP:	Classification, labelling and Packaging	
	REACH:	Registration, Evaluation and Authorization of Chemicals	
	GHS:	Globally Harmonised System of Classification, Labelling and Packaging of Chemicals	
	UN:	United Nations	
	EC/EEC:	European Community/European Economic Community	
	EU:	European Union	
	CAS:	Chemical Abstracts Service	
	DNEL:	Derived No Effect Level	
	DMEL:	Derived Minimal Effect Level	
	PNEC:	Predicted No Effect Concentration	
	ATE:	Acute toxicity estimate	
	LC50:	Lethal concentration, 50%	
	LD50:	Lethal dose, 50%	
	LL50:	Lethal loading, 50%	
	EL50:	Effect loading, 50%	
	EC50:	Effective Concentration 50%	
	ErC50:	Effective Concentration 50%, growth rate	
	NOEC:	No Observed Effect Concentration	
	BCF:	Bio-concentration factor	
	PBT:	persistent, bioaccumulative, toxic	
	vPvB:	very persistent, very bioaccumulative	
	M-factor:	Multiplying factor	
	ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
	RID:	Regulations concerning the international carriage of dangerous goods by rail	
	ADN:	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)	
	IMDG:	International Maritime Code for Dangerous Goods EmS: Emergency Schedules	
	MFAG:	Medical First Aid Guide	
	IATA:	International Air Transport Association	
	DGR:	Dangerous Goods Regulations I	
	CAO:	International Civil Aviation Organization	
	TI:	Technical Instructions	
	MARPOL:	International Convention for the Prevention of Marine Pollution from Ships	
	IBC:	Intermediate Bulk Container	
	SVHC:	Substance of Very High Concern	
	For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).		
۱.	event H and EUH statements (number and full text)		

Relevant H and EUH statements (number and full text)

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



(Sodium hydroxide 5-33%)

Print date: 02. 01. 2025

Product code: 010915

Page 9 of 9

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Data sources

Preparations Directive (1999/45/EC), as last amended by Regulation (EC) No 1907/2006. Substances Directive (67/548/EEC) as last amended by Directive 2009/2/EC. REACH Regulation (EC) No 1907/2006, as last amended by Regulation (EU) No. 453/2010. Regulation (EC) No 1272/2008, as last amended by Regulation (EC) No 790/2009.

 CERTUSS GmbH

 Hafenstr. 65

 D-47809 Krefeld

 Responsible:

 Phone:

 +49 (0)2151 578-0

 Telefax:

 +49 (0)2151 578-102

 E-mail: